## Signal line strand

### SLL-CK-2.0-AWG26-GN-700

Item 116050







- Stranded wire with crimp connection for 12-pole connector housing
- Consistently stable signal quality throughout
- Flexible stranded wire for the greatest possible freedom of movement
- Crimp connection with contact blade which ensures secure clamping with high retention force

#### Application

The stranded wire is used for low-wear, quick-connect mating of connector housings without tools.





#### **General data**

Product group:
Series:
Type:
Version:
Accessory type:
Scope of delivery:
Material:
Colour:
Min. temperature:
Max. temperature:

RoHS-compliant:

Electric accessory

SLL

Stranded wire

Crimp connection

Customising accessories

Pre-wired

Copper stranded wire, zinc plated

Green

-20 °C [-4 °F]

80 °C [176 °F]

Yes

#### **Electrical data**

Typical resistance (Ri) of one GKS:

7.5 [.295]

#### Compatible with

Accessories: STV-BL12-F-C

#### **Technical data**

Connection:
Force:
Max. current:
Max. voltage:
Installation grid:
Diameter:
Cable length:

Plug / solder /crimp connection 2 N [7.19 ozf] 3.6 A 250 V 2 mm [.078 in] AWG26 mm 700 mm [27.5 in]

85 mOhm

# Signal line strand SLL-CK-2.0-AWG26-GN-700

Item 116050







#### **Accessories**

Part no.	Designation	Version	Assembly
Connector housing			
116059	STV-BL12-F-C	1 row, 12 free slots, grid 2.00 mm	unloaded

#### **INGUN** Prüfmittelbau GmbH

Max-Stromeyer-Straße 162 78467, Constance, Germany Phone +49 7531 8105-0 Customer hotline +49 7531 8105-888 Fax +49 7531 8105-65 info@ingun.com





