# High-Frequency Probe

## HFS-810 201 051 A 5302

Item HFS-810-0017






- Long standard series
- Up to 2 GHz
- Cable interface MCX
- Plug-in version
- Receptacles: KS-810, KS-810 R, KS-810 F














#### **General data**

Product group: HFS radio-frequency test probes HFS-810 Series: Sub-series: HFS-810 Grid: 5.8 mm [228 mil] DUT / contact: PCB coax, closed Installation type: Plug-in Floating mount: Non-rotating: Continuous plunger: Interface of compatible assembly: MCX 50 Ohm Compatible assembly interface gender: M signal conductor male / pin KS sub-series: KS-810, press-in version Min. temperature: -40 °C [-40 °F]

#### **Outer conductor data**

Max. temperature:

RoHS-compliant:

Outer conductor tip style: 02 flat Outer conductor tip style diameter: 2.6 mm [.102 in] Spring force of entire outer conductor at working stroke: 4 N [14.3 ozf] 4 mm [.157 in] Outer conductor working stroke: Outer conductor maximum stroke: 5 mm [.196 in] Exchangeable outer conductor: KO-810-0150 Outer conductor max. current load capacity: 10 A

#### Inner conductor data

Inner conductor tip style: 01 30° needle tip, self-cleaning Inner conductor tip style diameter: 0.51 mm [.02 in] Inner conductor tip style material: 2 steel A gold Inner conductor tip style surface: Number of inner conductors: Exchangeable inner conductor: GKS-051-0001 Inner conductor working stroke: 2 mm [.078 in] Spring force of each inner conductor at working stroke: 1.3 N [4.67 ozf] Inner conductor maximum stroke: 3.7 mm [.145 in] Inner conductor max. current load capacity: 2 A

#### **Electrical data**

80 °C [176 °F]

Yes

Frequency range up to: 2 GHz Impedance: 50 Ohm

#### Mechanical data

5.3 N [19 ozf] Total spring force at working stroke: Total length: 43 mm [1.69 in] Barrel diameter: 4.5 mm [.177 in] Installation height without receptacle: 11.5 mm [.452 in]

### **INGUN** Prüfmittelbau GmbH

Max-Stromeyer-Straße 162 78467, Constance, Germany Phone +49 7531 8105-0 Customer hotline +49 7531 8105-888 Fax +49 7531 8105-65 info@ingun.com









Learn more about Radio-frequency test probes

