

Escan Multiplexer 16CH

OTE-SP-ES-016-MUX

Item 32627



GO TO PRODUCT



ingun[®]

Partner for Future Technology

- Component for the Opens test, for capacitive testing of semiconductor chips for open circuits, short circuits and soldering faults
- Suitable for SPEA test systems

Application

The OpenPin Check electronics are used for capacitive testing of integrated circuits to check the wire-bonded connections inside an integrated circuit for open circuits, short circuits and soldering faults.



General data

Product group:	Opens tests
Series:	OTE
Type:	SPEA opens test
Version:	Escan multiplexer 16CH OpenPin
Accessory type:	Customising accessories
Scope of delivery:	Without housing
Width:	51.5 mm [2.02 in]
Height:	14.3 mm [.562 in]
Weight:	0.02 kg [.044 lbs]
Min. temperature:	10 °C [50 °F]
Max. temperature:	60 °C [140 °F]
RoHS-compliant:	Yes

Compatible with

Interchangeable kits (WS): WS SPEA

Technical data

Installation:	Bore D = 3.1 mm
Number of poles:	16
Length:	85.1 mm [3.35 in]
Outer dimensionS (WxDxH):	85.1 x 51.5 x 14.3 mm [3.35 x 2.02 x .562 in]

Escan Multiplexer 16CH

OTE-SP-ES-016-MUX


Item 32627



GO TO PRODUCT

ingun[®]

Partner for Future Technology



INGUN Prüfmittelbau GmbH

Max-Stromeyer-Straße 162
78467, Constance, Germany
Phone +49 7531 8105-0
Customer hotline +49 7531 8105-888
Fax +49 7531 8105-65
info@ingun.com



Prices and delivery times on request.
Technical changes reserved. 04/26_GB